

CLAIMS

- Method for attaching a protein to a conductive
 support by means of a pyrrole polymer, comprising the following steps:
- coupling of the protein to be attached with a pyrrole monomer so as to obtain a first solution of a
 protein-pyrrole coupling compound,
 - preparation of a second solution of the pyrrole monomer not coupled to the protein,
- 15 mixing of said first solution with said second solution so as to obtain an electropolymerization solution,
- electropolymerization of the pyrrole and of the protein coupled to the pyrrole on at least one given area of the conductive support using said electropolymerization solution, said electropolymerization being carried out by delivering onto said area an amount of current of 1 to 500 $\mu\text{C/mm}^2$.

25

- 2. Method according to Claim 1, in which the electropolymerization is carried out by delivering onto said area an amount of current of 5 to 100 $\mu\text{C/mm}^2$.
- 30 3. Method according to Claim 1, in which the at least one conductive area on which the electropolymerization is carried out is at least one block of a biosensor support.

5

10

15

- 4. Method according to Claim 1, in which the coupling of the protein to be attached with pyrrole is carried out by means of activation of the pyrrole followed by coupling of the activated pyrrole to the protein to be attached.
- 5. Method according to Claim 4, in which the activation of the pyrrole is carried out by means of N-hydroxysulphosuccinimide or of maleimide.

6. Method according to Claim 4, in which the protein-pyrrole coupling compound is chosen from the following compounds:

and
N(CH₂)₅-CO-NH-(CH₂)₂-O-(CH₂)₃-O-(CH₂)₃-O-(CH₂)₂-N

- 7. Method according to Claim 1, in which two 20 proteins are attached to the pyrrole polymer, successively and on two different given areas of the conductive support.
- Method according to Claim 1, in which the
 protein is chosen from the group consisting of an enzyme, an antibody, an antigen, a hormone and a receptor.

- 9. Use of a method according to any one of the preceding Claims 1 to 8, for producing a monosensor or a multisensor.
- 5 10. Use of a method according to any one of the preceding Claims 1 to 8, for producing a biochip.